

Dental Repair Services

46 Cromwell Gardens, Eynesbury, St.
Neots, Cambs. PE19 1PY

Tel: 01480 384677 **Mobile:** 077100 38 123

Fax: 01480 392543

E-mail: Schunmann@ntlworld.com

Web: www.dentalrepairservices.com



Equipment & Sundries Catalogue

EQUIPMENT BROKEN DOWN?

In a Mess? Call

D.R.S.

01480 - 384677

D.R.S 46 Cromwell Gardens, St. Neots, Cambs. PE19 1PY

We Buy All

Used equipment and sundries
"Full Lab. clearances"

Scrap

Platinum, Palladium, Gold, Chrome
Cobalt, Non Precious

'Call for prices'

*Competitive
Rates*

*Competitive
Rates*

REPAIRS

"25 YEARS EXPERIENCE"

Micro motor repairs

Also all Laboratory Equipment including

Fusus casting machines

Also a full range of spares and sundries available including crucibles

Here are some of the agents we cover for repairs:

KAVO. K9, K10, K11, K4, K5, K12, POWERGRIP, KAVO
HF, KAVO HIGH SPEED GRINDER SPINDLES

N.S.K.	ROYAL	MARATHON	UPOWER
RAM	MUSS	SCHICK C1 C2	BEGO
STRONG	DEROTOR HF	GAMBERINI	BESQUAL
BIFA	DENTSPLY	KEYSTONE	FARO
FUSUS	BUFFALO	BAMBI	RAY FOSTER
ERIO	DEMCO	WHIPMIX	EMMEVI
UGINE	LARIDENT	W.H.W	DENTAL
DENTAIRE	PLYNO	INTERLAB	FARM

A SERVICE BUILT ON KNOWLEDGE

ECO 1000 Brushless



Very smooth running high powered high frequency 3 phase brushless induction motor. With a system overload thus eliminating bad burn outs. It comes complete with an induction hand drill, stand, cable, control box, mains cable and variable foot control.

1,000 - 50,000 rpm Maximum torque: 7.8N cm high performance brushless motor eliminates the need to change brushes.

Ergonomically designed hand piece reduces fatigue in the operator's hand. Self Diagnosis function to evaluate the unit and motor. Error code display is used to check status of the unit when trouble occurs

N7R carbon Brush



We are offering an unbeatable deal on our new NR7 Micro motor and Control Unit. This single-phase carbon brush motor with twist grip has a 2.35mm collet and comes complete with a variable bench and variable foot control and hand piece stand. We are also offering a free tool kit and a free set of spare carbon brushes to all customers.

Alternatively, if you are simply looking for a new hand piece we can offer you the chance to have one fitted to your existing

carbon brush controller (The Marathon can be fitted to most control units, please phone for details) 01480 384677

We can provide a straight lead but this is an additional cost.

Handy 700




- Speed: 0 to 50,000rpm
- Maximum Torque set mode
- Digital Speed Display (RPM)
- Self diagnostic system and Error code display function
- Auto-Cruise speed function
- Maximum rotation speed display set mode
- Variable speed control by hand dials or foot pedal
- Built-in hand piece cradle and magnetic bur holder
- Dual control system (brushless and carbon brush motor)

High Speed Grinder Spindle



Hand Piece Only




Two speed polishing lathe




The Reliable Gamberini two speed lathe
Mr. Gamberini 's family has been making
products for 50 years. You will get many
years of happy use from this product
(Guaranteed)
1400-1800 R.p.m.
350 watts 220 V. /50-60 Hz and 240 V. /50-
60 Hz v

Plastic Lathe Troughs



These Troughs are strong and durable and
fit all lathes

Two Speed Model Trimmer



Gamberini two Speed model trimmer
Automatic water valve and a variable height
platform
The motors run at either one or two speeds
(1.400 - 2.800
Another great Gamberini product

Carborundum Trimmer Wheels



10" Herringbone cut Fully Balanced
12" EZZICUT Herringbone Cut

Diamond Trimmer Wheels



The best Dot Cut diamond Trimmer wheels:
Available in **10" and 12"**
also for Faro with a special hub
on an exchange basis

DR11 Burnout Furnace



Budget Compact Bench top Furnace
Technical Specification
- Input: 240V U.K.Plug

Power - 650 Watt; Safety Door Switch to cut off power when door is open. The Internal chamber dimensions (mm) - 160Wx100Hx90D;

Kiln's dimensions (mm) - 240Wx200Hx240D;
Maximum heating temperature - 1050 C (1922 F);

Top 16-mm ventilation (with a heavy shutter) & fume extraction hole
For Safety the door is opened with a special Door hook
Solid State Relay to reach exact temperature - +/- 2 C;
Weight - 4.8 kg.

DE1 Emmevi Burnout Furnace



Digital panel controlled by electronic microprocessor - Possibility of programming 1 two-phase cycle; each phase includes 3 programmable parameters: temperature (up to 1100 °C), temperature increase speed (from 1 to 30 °C per minute) and hold time (from 1 minute to 21 hours) - Start-up delay function programmable from 0 to 100 hours with 1 minute resolution - Thermocouple fault signal and automatic resistance inhibition - Data and timer setting saved also in event of power failure - Door safety micro switch; chamber power supply is cut

off automatically when door is opened - Door with magnetic closure - Safety fuse - Heating system by means of single-block muffle - Stainless steel door and front panel.

Internal dimensions: 120 x 160 x 95

Model Routers



G Router

- Model Router
- Excellent torque for fast cutting
- Built-in exhaust port for dust control
- Standard Work Table



DR7 Router

- Excellent torque for fast cutting
- Built-in exhaust port for dust control

DBTT660C Fume Cabernet



Steel construction finished in dove grey
It has a fan and carbon filter unit mounted onto hood enclosure complete with clear Polycarbonate view panel and hood lighting.

Carbon filtered with centrifugal blower's external rotor motor type brushless motors, UL, VDE and CSA approved and sealed electrical, downstream filters.

AMP Fume Hood



The AMP was designed to neutralise the levels of methyl methacrylate fumes and vapours used in all kinds of labs, this unit is designed for table top small labs

It has a special carbon filter (135 140gr) to capture and neutralise the vapours.

Air flow 66 MT3/ H

36db 19watts Dia: 460 X 410 X 400 mm

Dust Extractor Draw



These units are constructed in plastic coated galvanized steel, incorporating a high powered two speed silent running Induction powered two speed silent running Induction centrifugal fan (310 CFM). The drawers slide smoothly on runners within a U channel that can be fitted to most work stations.

I have been selling this product for over ten years and I am so confident that the motor will not fail I will give a three year extended guarantee on the motor - *Free of Charge*

Acrylic / Trimming Box



This unit comes complete with a dust extractor port Aspiration tube and also no Skid Adhesive supports.

Size = 350 X 400 X 230 cm

DB1 Dust Buster Dust Removal System



This is a heavy duty Industrial Dust removal system, designed with laboratory requirements in mind.

The DB1 has a three way filter system. The first line of defense is a Standard fibre filter bag.



The second line of defense is a 14" White Nylon Perm flow Filter. Behind the Perm flow filter is the Third line of defense which is the .5 micron Push on Cartridge filter / Hepa filter, this gives maximum Protection to the twin fan self cooling 1000 Watt Max motor. The twin fan self cooling 1000 Watt max Motor is protected with a thermal cutout switch if over heating is incurred.

On the motor housing there is an outlet which allows the cooling air flowing over the motor to be Extracted, If the DB1 is placed in a confined space then it is recommend that the hose assembly Provided is connect to a extraction source. All fittings are included for this procedure including external fittings.

Wet Cure Curing Unit



Constructed in plastic coated galvanised steel, fully insulated tank & lid in heavy duty stainless steel. Capacity of 6 X 3 flask compressors. Capable of single or two stage temperature Processes, with a Digital temperature display.

Ditton Dry Cure Unit



The Ditton automatic dry heat processor is designed to cure all thicknesses of acrylic resin without causing porosity, strain or distortion. The slow temperature rise produces long polymer chains giving added strength to boil off excess monomer. The controlling switch is programmed to cure up to 12 flasks each night without resetting. Quick curing acrylics in lightweight flasks can be processed in about 2 hours. CE approved.

Sibari SR620 Light Cure Unit



Light polymerizing of all acrylic and light-sensitive Materials on the market.

Rotating plate
Cooling fan
Halogen lamp
Microprocessor electronic control,
8 fluorescent lights
1 50W halogen light,

The maximum internal temperature
Never exceeds 50 deg. C.

Emission of UVA rays and white light, covering
The complete spectrum of all light curing Materials

Gelmelt 8



This full-automatic gel melting
Machine has an 8 litre tank.
By making use of microprocessor technology,
very precise values can be realised.

The melting and processing temperatures
Programmed with push-buttons and
potentiometers.

Pressure Pot



The RD Pressure Pot/ Cure Unit is a robust
unit featuring a pressure gauge and pressure
release valve and fully conforms to the CE
Capacity 5.5L

Hydro Flask & Clamp



Ultrasonic Bath Q C



Timer Range 0 – 30 mins

Internal Tank Dimensions
240x 135 x 100mm

Working Capacity 2 Litres

Vacuum Forming Machines



DR9 VAC Former

Heavy-duty spring and latch mechanism to hold all types of thermoplastics. Compact design and a Uniform heat distribution.



NKDR70

The "Machine" is an economical unit that is excellent for fabricating most thermoplastic appliances. It has the following advantages. Heavy-duty spring and latch mechanism to hold all types of thermoplastics.

Symmetrically engineered heating element for uniform heat distribution.

Vacuum Forming Materials

(Full Range available - Round & Square)



Bunsen burner



All purpose propane and/or gas lab burner
Each tube has an individual flame control
for single or dual use it can rotate up to 30
degree angle from left to right.

Its controlling system ensures that gas
Or propane will never leak while working.

Easy Sand 2 Micro



Micro sandblaster with 2 tanks for aluminium oxide from 50 to 250micron

Steam Cleaners



VP Mini 3 litre VP Maxi 5 Litre

These Steam cleaners are robust, easy to use and easy to maintain. They have a removable heating element for easy replacement.

The trigger switch is on the gun / nozzle housing so there is no foot switches on the floor for people to trip up on.

It also comes complete with a hanger for the gun.

Electro Polishing Unit



This unit is made with a corrosion-proof aluminum body.

Both the triangle stick and Electrolyzing plates are made of corrosion-proof titanium material for long lasting use chamber size Approx 150x 100 (easily four chromes)

Bambi Compressors MD Range

Please Note: these are the MD range and not the BD budget Range

MD range has a fully servisable compressor unit (*White compressor*)
BD range has no servicable parts (*Green Compressor*)



Bambi 75 / 150

The Bambi 75-150 delivers up to 78/min of air at a maximum working pressure of 8 barG. Supplied on a wheeled frame for easy transportation.



FAD 50L/min
Max Pressure 8 Bar G
0.5 HP Motor 240V 1ph
Receiver capacity 15L



Bambi 75 / 250

The Bambi 75/250 delivers up to 78/min of air at a maximum working pressure of 8 barG. Can be supplied with optional wheel kit.

FAD 78L/min
Max Pressure 8 Bar G
0.5 HP Motor 240V 1ph
Receiver capacity 24L



Bambi 150 / 500

The Bambi 150-500 is a duplex pump unit that delivers up to 156/min of air at a maximum working pressure of 8 barG. Can be supplied with optional wheel kit.

FAD 156L/min Max Pressure 8 Bar G
1.0 HP Motor 240V 1ph
Receiver capacity 50L

Mini Cast Casting Machine



The elegant and practical Minicast casting machine is especially designed to meet the most exacting professional requirements.

It is capable of melting all types of alloys (precious, semi precious and non precious).

The Blow torch is an optional extra.

Induction Casting Machine Ducatron Quattro



The Quattro is a stand alone fully self contained casting machine.

The cradles are self balancing and the motor has two start speeds the Quattro machine is fully digital and is transistorized with on board water tank that takes distilled water.

Broken Arm Casting Machine



Spring-operated with a precision Stainless cast arm and die-cast barrel
Heavy-duty spring Diameter (arm): 370mm
Height: 270mm

Interlab Polishing Cab



(Lathe Not Included)

Constructed throughout in plastic coated galvanised steel it has two powerful silent running Extraction fans which serve each polishing trough, pulling a massive 310cfm.

It also has a diffused lighting unit, with tough trough splash guards and will accept most types of polishing lathe.

Gamberini Polishing Cab



(Complete with Mounted Lathe)

This Gamberini Polishing cab is finished with a stainless steel and anticorrosive aluminium work surface, it has halogen lighting, and it comes complete with black plastic troughs.

It has a two way extraction system that can be directed to either or both sides of the unit through a special regulator.

The Model Deluxe Boil Out Unit



This is the flag ship Interlab boilout unit. It is a fully programmable unit with over night cycles Etc.

It holds 16 half flasks and can process up to 24 flasks the tank is stainless steel the outer casing is galvanised steel with a strong plastic coating.

It is a low maintenance machine with filters that need to be cleaned or replaced from time to time.

Basic model is also available.

Pneumatic Hammer Chisel



This pneumatic hammer chisel has a built in valve to turn the air on and of and also comes complete with a set of three chisels. These units have been manufactured for the last 30 years and have stood the test of time.

The piston system for this chisel is simple, all the piston parts are hardened steel and there are no annoying bearings.

Plaster Vibrators Medium & Small



Large Dia 230 x 150 Approx 9in X 6in
Variable Speed



Small Dia 130 x 150 Approx 5in X 6in
Variable Speed

Plaster Vibrators Large



3 Rings Capacity with 2 frequencies
Powerful vibration and wide tabletop offers
Simultaneous work for any rings.
Detachable tabletop for easy cleaning.

Dimension: Approx 280 x 215 x 150

AMP: 300W **Fuse:** 2A

Electronic Weighing Scales



Acculab Pocket Pro 250
250Gram Capacity
Weigh Modes:
Gm, oz, Troy oz
Platform 3" x 3" approx

Surveyor / Milling Tool



This Surveyor comes complete with a twin pivoting arm, a fully adjustable post.

A locking movable base, all the tools, and an attachment for milling that can take the N7R hand piece. And electrical heating tool (as below)

Electrical Heating Tool

This electrical heating tool is designed for dental milling work and it's compatible with variety of existing milling machines and surveyors



Laser Pin Machine

This unit gives high drilling accuracy and has adjustable table height. It has a 90 watt motor



Carbide Drills

Pack of 3
Available to order



Digital Wax Bath



Available in 1 x Large Bath
or 4 x Baths as shown

Digital Adjustable Temperature, Maintains
constant temperature.

One button conversion from °C to °F
Friendly 4 wells 11/16" deep wax
compartment.

(one 3 7/8" x 1 5/8", and three 1 5/8" x 1 1/4")

Induction Heater - Dual Sensor



No more Alcohol or Gas burners.

Portable and immediately operational.

Safety indicator automatically prevents
carver from overheating. 5 cover caps
included for easy clean-up.

Digital Dipping Pot



Built-in memory chip to memorize the
previous working temperature.

Operates both in Celsius or Fahrenheit
(°C/°F).

Automatic heater-on indicator LED. (LED off
when reaching the preset temperature).

Digital Single Wax Carver



Silicon grip keeps the pen stay cool and
comfortable.

Digitally displays temperature for accurate
control.

Memory function stores previous working
temperature. Operates both in °F or °C

Includes #1 & #3 tips



Magnetic Pen Holder



Control

Digital Dual Wax Carver



6 tips provides variety of usage.
Silicon grip keeps your hand comfortable.
Dual power control for separate use.
Digitally displays temperature for accurate control. Operates both in °F or °C
Complete with set of tips.



ADDITIONAL TIPS AVAILABLE



Light Curing Box



Cures light activated composites
Includes four 9 watts bulb
Heavy duty and durable for long lasting use.
Equipped with a 5 and 10 built in minute timer
Dia: Aprox 280 x 290 x 110mm

All in one wax unit

Induction Heater, Wax bath, And electric wax knife all in one bench top unit.



Beech Ply Laboratory Chair



Clear varnished. Wipe and wash clean Surface. Resistant to mechanical stress. Robust, low profile five-star tubular steel base, powder coated in charcoal colour.

With gas-lift height adjustment from 440 – 590 or 440 - 875 mm

Five-star base made of tubular steel


Ergonomics:

Pendular mounted back rest with infinitely adjustable height and depth.

Seat and back rest with adjustable inclination. Back rest with permanent contact. Anatomically shaped seat and back rest for ergonomic sitting
In accordance with DIN 68877



- F 11** Short wax knife with wood handle, cm 13
- F 10** Long wax knife with wood handle, cm 17
- F 7** Long plaster knife with wood handle, cm 17
- F 3** Soft spatula for silicone
- F 4** Rigid spatula for silicone
- F 5** Plaster spatula
- F 6** Plaster Snips



- F 12** Hysin spatula, cm 13
- F 13** Le cron spatula, cm 17
- F 14** Zahle spatula, cm 12.5
- F 15** Universal pliers, cm 15
- F 22** Casting ring tongs, cm 40

Plaster Snips



Durable and sharp Plaster Snips.
These were made for the Job.

Offset Hand Saw



Spare blades available

IWANSON Crown Gauge



4 inch length stainless steel.
Metal Calliper – Pointed Tips
Wax Calliper – Rounded Tips

Hemostat



Galetti Style Articulator



Quality Articulator that provides for the easy firm grasp of models of any size.

It Controls the correct occlusion with maximum precision.

No plaster work or accessories required.
Easy to clean.

Spare parts available.

N2 Plaster less Articulator



Plain Line Articulator Low cost



CROWN &
BRIDGE




LOW ARCH
DENTURE



HIGH ARCH
DENTURE

Plain Line Articulator



This is a high quality gun metal Plain Line Articulator.

Deluxe Magnetic Articulator



Interchangeable Articulator Lightweight
Teflon coated, Lateral excursions

Denture Flask



This is a high quality Brass Denture flask

Double /Treble Clamp



These are high quality brass clamps.
Available in double and treble.



Budget brass double clamp with handle

Brass Flask



Upper and lower Brass Flask

Bench Press 2 x flask



Duplicating Flask



These are high quality flat bottom aluminium Duplicating flasks.

Colour Dental Blue

Silicone Bowls & Mini Silicone Bowls



Silicone mini bowls small size 15 ml
Silicone mini bowls middle size 25 ml
Silicone mini bowls large size 65 ml
Silicone mini bowls mignon size 5 ml

Colour Dental Blue

Magnetic bur block



Two tires

Crucibles



Full Range available - Call For details



Reline Jig



This is a high quality aluminium reline Jig

Dental Alloys & Solders



**SOFT CERAMIC
ALLOY**
NP11SOFT U.S.A.
Non Precious
bonding



UGIREX 3
Non Precious
bonding



INGOT
Chrome Cobalt



Dental wax's for chrome work



SPRU WAX



**WAX
PATTERNS**



STIPPLE WAX



WAX MESH

Zirconia Products




Zirconia blocks and Abutments
All sizes available
Also in round
Please call for more details

CD-W10	CD-B20	CD-T30	CD-W40
222-W10	222-B20	222-T30	222-W40
WHEEL	CYLINDER	TAPER	WHEEL
10K rpm	12K rpm	15K rpm	10K rpm
Ø 22x2mm	Ø 5x12mm	Ø 4x12mm	Ø 22x2mm

Diamond impregnated Green
Stones

Zirconia Products




RD-W1	RD-W2	RD-W3	RD-C4	RD-P5	RD-T6	RD-W7
220-W1	220-W2	220-W3	221-C4	221-P5	221-T6	221-W7
COARSE	MEDIUM	X-FINE	MEDIUM	MEDIUM	MEDIUM	MEDIUM
WHEEL	WHEEL	WHEEL	CYLINDER	POINT	TAPER	WHEEL
Ø 26x2mm	Ø 26x2mm	Ø 26x3mm	Ø 3x7mm	Ø 4x12mm	Ø 4x12mm	Ø 4x12mm

Rubber diamond impregnated burs



Zirconia Stylus



Zirconia milling burs

German Kolinsky

PORCELAIN BRUSHES



PORCELAIN FURNACE TONGS




PORCELAIN SHADE MEMORY WET TRAY

The moisture retention function ensures the porcelain mass receives the correct amount of water and remains in a workable state. Grids in numbers and alphabet allow you to mark and distinguish the correct porcelain.



CERAMIC FIRING PEGS (PINK)

Ceramic firing pegs are used for holding crowns and bridges in a porcelain furnace. (12pcs/Pkg)



HONEYCOMB FIRING TRAY & PINS










Round Ceramic Sagger Tray with 20 pins







Size: (D x H) 3.125" x 0.412" / 80mm x 10mm







A honeycomb is used as a platform to fire crowns and bridges. It has 4 slots for easy handling with a tong in and out of the furnace. The metal pins are used for support.

Laboratory Carbide Burs (HP Shank)

Premium Quality, Long Lasting & Non-Clogging

						
84-T	83-E	82-T	81-A	73-C	63-B	53-A
TAPER	CYLINDER	CONE	FLAME	INVERTED	POINTED	PEAR

					
52-D	52-C	44-C	88-A	71-G	31-P
TAPER	EGG	FISSURE	BARREL	INVERTED	TAPER

					
M2	M4	M5	M6	M7	M8

Medium Dowel Pins



SILVER DOWEL PINS



BRASS DOWEL PINS

Double/Twin Pins

Precise Fitting Metal Pins & Sleeves with Rubber Caps. Strong retention and no distortion.



FLEXIBLE DOWEL PIN LOCATORS

For easy removal of preparations

Mounted Stones

Available in - Green - Brown - Blue -Pink



Cut Off Discs

Ultra Thin
(1pack:25pcs)


Very Thin
(1pack:50pcs)

Cut Off Disc
(Box of 100pcs)



22x0.2mm 22x0.3mm 22x0.6mm 22x3.0mm 25x0.7mm

Cut Off Discs, Pin Cutters & Roughing Discs:
Aluminum Oxide (Box of 100pcs)



32x2.2mm 35x0.7mm 35x1.7mm 40x1.0mm

Heatless Wheels



White Color (Aluminum Oxide)

Non-contaminating, used for porcelain or precious and semi-precious metal.



Grey Color (Silicon Carbide)

Rapid reduction, used for porcelain, acrylic, non precious, semi-precious, precious alloys.

Heatless Wheel Sizes

1-25x4.8mm / 2-25x3.1mm / 3-25x2.4mm / 4-22x4.8mm / 5-22x3.1mm / 6-22x2.4


Diamond Dresser



For Dressing stones and wheels

Rubber Points

Long lasting mounted rubberized abrasive points for acrylic and metal




Polishing Wheels Rubber



1005 - Gray, Fine (S.C.): Finishing of all metals and porcelain.
 1007 - Black, Coarse (S.C.): Finishing all metals and very good for pre-polishing non-precious metals.
 1036 - Green, Medium (S.C.): All purpose for all metals.
 1037 - White, Fine (A.O.): Flexible & soft for all precious metals, non-contaminating.
 1039 - Blue, Fine (S.C.): For metals and porcelain.
 1075 - Red, Fine (S.C.): Hard for all metals and porcelain
 1080 - Red, Fine (A.O.): Flexible for pre-polishing.
 Minor adjustment at thermo-plastic denture and also for smooth surface acrylic.

Polishing Points Rubber



1024 - Black, Coarse (S.C.): Finishing all metals.
 1028 - Grey, Fine (S.C.): Hard for polishing metals and porcelains.
 1032 - Brown, Regular (S.C.): Hard for polishing metals.
 1035 - Red, Fine (S.C.): Flexible for precious metals.
 1045 - Green, Medium (S.C.): All purpose polishing all metals.
 1070 - Blue, Fine (S.C.): For metals and porcelain.

Sintered Diamond Disk & Burs



Sizes:

(ø19mm x 0.15mm)
 (ø19mm x 0.25mm)
 (ø19mm x 0.30mm)

Diamond Disks



Flex Single Sided: 0.13x22mm
 Flex Double Sided: 0.15x22mm
 Flex Double Sided: 0.20x22mm
 Double Sided: 0.25x22mm
 Double Sided: 0.30x22mm

Terms & Conditions

CONDITIONS OF SALE

1. Prices are subject to alteration without previous notice. Goods and services will be charged at the price last ruling at the date of despatch.
2. The prices quoted are exclusive of VAT which will be charged at the current applicable rate at the time of despatch.
3. Terms are 30 days nett from date of invoice. A service charge of 1.5% per month may be charged on accounts which remain unpaid 30 days after the due date.
4. All carriage, packaging and insurance charges will be invoiced at cost. The purchaser shall be responsible for ensuring the presence at the premises nominated for delivery, of a person authorised to receive and sign for goods.
5. The risk in goods will pass to the purchaser upon delivery thereof to the premises nominated by the purchaser provided that:-
 - (I) The purchaser shall notify the Company and the carrier by telephone within 24 hours of delivery of any loss, shortage or damage to the goods received. Such notification to be confirmed in each case by letter despatched by first class post not later than the day following delivery.
 - (II) In the event of non-delivery of the goods, the purchaser shall notify the Company and the carrier of such non-delivery by telephone not later than the fourteenth day after the date of the relevant invoice. Such notification to be confirmed in each case by letter despatched by first class post the same day.

If the purchaser shall fail to make such notification (whether by reason of his failure to carry out an inspection of the goods in sufficient time or for any other reason) the Company shall be under no liability whatsoever in respect of any loss, shortage or damage to the goods howsoever occurring and the purchaser shall remain liable to pay the full price and carriage costs for goods so lost, incomplete or damaged.

6. If the purchaser shall make any default in paying any sum to the Company as and when it becomes due or if he shall have distress of execution levied on any of his goods or property or if he shall make or offer to make any arrangement or composition with creditors or if he shall commit any act of bankruptcy or have a petition presented against him, or if, being a limited company, any resolution or petition to wind up the purchaser (other than for the purpose of reconstruction, or amalgamation without solvency), shall be passed or presented, or if a Receiver shall be appointed over the whole or any part of the Purchaser's business, all sums owing by the purchaser to the Company become immediately due and payable (plus service charge thereon) and the Company shall have the right forthwith to withhold all further deliveries of goods or to determine any contract then subsisting between the Company and the purchaser. Such determination shall give rise to no liability whatsoever on the Company's part but shall be without prejudice to the Company's right to payment in respect of manufacturing or other work already carried out or goods already delivered.
7. Except as provided in this clause goods are supplied with the benefit of all conditions and warranties which are implied by statute from time to time, provided that the Company:-
 - (I) shall not be liable for any consequential damages or expenses or any liability to third parties incurred by the purchaser and
 - (II) Shall be under no liability whatsoever to the purchaser in respect of any goods sold as "imperfect" or under any similar description. Nothing in the aforesaid proviso shall apply to the terms implied by Section 12 of the Sale of Goods Act 1893 (as amended).
 - (III) Should equipment fail during the guarantee period, the Company reserve the right to either replace or repair the unit?
 - (IV) If the goods are not used or serviced in accordance with the manufacturer's instructions, then the guarantee is null and void.
 - (V) Normal wear and tear on parts such as motor brushes, chucks, bearings, muffles and hearing plate are not covered by guarantee unless otherwise stated.

8. Clause: terms acceptance

By accepting this catalogue or purchasing from this catalogue.

Note: you are excepting the terms within for any future purchases from Dental Repair services.

The Number beginning with the letter Z at the front of the catalogue is for identification purposes, if this number appears upon your invoice, then it is given that you have received the catalogue and read and accepted the terms within this catalogue against all future purchases from Dental Repair Services

9. The purchaser shall not be entitled to withhold payment of any sums after they have become due by reason of any right of set off or counter claim which the purchaser may have or allege or for any reason whatsoever.
10. Save as provided on Clause 7 above, the Company will not accept the return of any goods to it unless such return has received its prior written approval. Subject to the foregoing goods which are returned for credit owing to error on the part of the purchaser will be credited at 80% of the original invoice price provided that the goods are in perfect condition. If they are not in perfect condition (as to which matter the Company will be the sole judge) they will be credited at their used value.
11. All drawings, illustrations, descriptions and specifications in the Company's catalogues, price lists and other advertising material are intended to give no more than a general idea of the goods sold by the Company and such information is not intended to be and shall not be relied upon as giving a precise description of any goods nor as being a representative as to any matter contained therein, nor shall any of it form part of any contract with the purchaser or any other companies or persons
12. Goods which are specially ordered by the Company D.R.S for a customer are not returnable.
13. These terms and conditions and the contract in which they are incorporated shall be governed by English. Law
14. Title of goods to remain the Company's until fully paid / paid for in full.
15. All goods for delivery outside the UK will be sold ex works. Dental Repair Services will arrange carriage and insurances, as Agents.
16. Please be aware that calls may be monitored for training and quality assurance purposes.

Proprietor Mr. Kurt Schunmann

Dental Repair Services
46 Cromwell Gardens
St. Neots
Cambridgeshire
PE19 1PY

Tel: 01480 - 384 - 677

Fax: 01480 - 392 - 543

Mob:07710 - 038123

Item	Page	Item	Page
A		H	
Abrasive burs	25/26/27	Haemostats	19
Abrasive Points	26	Hand pieces	3
Articulators	19/20	(Micro motor Drills)	
Alloys and solders	23	Hand Saw	19
		Hand tools	18/19/24
B		Heatless wheels	26
Bench press	21	High speed grinder/Spindles	3
Bench top casting machine	12	Hydro flask	8
Boil out machine	13		
Brass flasks	21	I	
Brass Clamps	21	Induction Casting Machine	12/22
Broken arm casting machine	12	Induction wax Heater	16/17
Burnout Furnaces	5	Iwanson Gauge	19
Bunsen Burners	9		
Bur Block	22	K	
		Knives	18
C		Kolinsky Brushes	24
Carbide Drills	15		
Carbides	25	L	
Chairs	18	Laser pin Machine	15
Chrome Cobalt	23	Light Cure unit	8/17
Clamps	21	Le Crons	18
Compressors	11		
Crucibles	22	M	
Cut off discs	26	Magnetic articulator	20
Curing Units wet and dry	7	Magnetic Bur block	22
Casting Machines	12	Micro motors	3
		Milling tool	14/15
D		Mini Silicone bowls	22
Diamond discs	27	Micro Blaster	10
Diamond Dressers	26	Model Router	5
Diamond model trimmer wheel	4	Model Trimmer	4
Double pins	25	Model Trimmer wheels	4
Dowel Pins	25	Mouth guard material	9
Dowel pin locators	25	Mouth guard machines	9
Dowel pin Machine	15	Mounted stones	26
Dual pins	25		
Duplicating gel machine	8	N	
Duplicating flask	22	Non Precious	23
Dust extraction box	6	Non precious bonding alloy	23
Dust removal system	7	Non precious solder	23
Dust extractors	6/7		
Dust extractor draw	6	P	
		Plain line articulators	20
E		Plaster less articulators	19/20
Extractors	6/7	Plaster snips	18/19
Extractor box	6	Plaster knife	18
Extractor draws	6	Plaster vibrators	14
Electric heater for milling tool	15	Pneumatic chisel	13
Electro Polishing machine	10	Polishing Cabinet & extractor	13
Electric wax heater	16	Polishing Lathes	4
Electric wax knife	16/17	Polishing Machine Electro	10
		Polishing troughs	4
F		Polishing Wheels rubber	27
Flasks	21	Polishing points rubber	27
Free plain articulators	20	Porcelain Brushes	24
Furnaces	5	Porcelain Furnace tongs	24
Furnace tongs	18/24	Porcelain furnace firing trays	24
Furnace tweezers /Tongs	24	& pins	
Fume cabinets	6	Porcelain mixing tray	24
Firing pegs	24	Pressure Pots	8
G		R	
Gauges	19	Reline Jig	23
Gel Machine	8	Router	5
		Rubber bowls	22
		Rubber Points	24/26/27
		Rubber wheels	27

Item	Page
S	
Sand Blasters	10
Sintered diamond burs	27
Sintered diamond disks	27
Silicone bowls	22
Spatulas	18
Spindles High Speed	3
Spru wax	23
Steam Cleaners	10
Stipple wax	23
Sundries	22 - 27
Surveyor and heating tool	14/15
Solder	23
T	
Terms and conditions	28/29
Trimmer Box	6
Trimmer wheels	4/26/27
Tweezers	24
U	
Ultrasonic Bath	9
V	
Vacuum forming machines & spares	9
Vacuum forming materials	9
Vibrators	14
W	
Wax baths	16/17
Wax knives	16/17
Wax mesh	23
Wax patterns	23
Wax	23
Weighing scales	14
Z	
Zirconia Abrasives	23/24
Zirconia Abutments	23
Zirconia Blocks	23
Zirconia rubber burs	23/24
Zirconia Milling burs	24
Zirconia Stylus	24

